

L Number	Hits	Search Text	DB	Time stamp
-	15	((("6397253") or ("6470027") or ("6529437") or ("6490626") or ("6477577") or ("6109716") or ("6650640"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:10
-	4	((("6529937") or ("6104716"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:12
-	40	hericourt.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:17
-	0	hericourt.in. and oliver.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:17
-	19	hericourt.in. and olivier.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:17
-	2	5606668.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 10:31
-	2	5835726.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 10:34
-	10	SOCKS AND ((dynamic ADJ packet ADJ filter\$3) (stateful ADJ inspection))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 11:06
-	8	((dynamic ADJ packet ADJ filter\$3) (stateful ADJ inspection)).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 11:12
-	86	stateful ADJ inspection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 11:12
-	16	stateful ADJ inspection AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 11:30
-	10	(Circuit ADJ level ADJ (gateway firewall proxy)) AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:17

-	7	@ad<19991021 AND firewall SAME tracks WITH connections	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:44
-	2	((several plural\$3) WITH SOCKS WITH SERVERS) AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 08:35
-	2	((multiple) WITH SOCKS WITH SERVERS) AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 14:36
-	10	load ADJ balance WITH capabilities AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 15:20
-	58	server WITH handle WITH specific WITH (application request) AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 15:11
-	5	server WITH handle WITH (specific different unique) ADJ (application request) AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 15:16
-	5	server WITH handle WITH (specific different unique) ADJ (protocol) AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:28
-	1	load ADJ balance WITH based WITH protocol AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 15:28
-	2	6006259.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 15:21
-	0	709/105.ccls. AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 15:29
-	123	709/240.ccls. AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:20
-	19	(709/240.ccls. AND @ad<19991021) AND protocol.ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:32
-	4	("4731784" "5091849" "5321542" "5490252").PN.	USPAT	2004/01/28 08:40

-	13	HTTP WITH priority WITH FTP AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:51
-	3	priority ADJ based WITH load ADJ balancing AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:09
-	111	((broker dispatcher) AND protocol).ab,ti. AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 10:12
-	0	((protocol NEAR (based dependent)) WITH (message NEAR (passing routing))).ab,ti. AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 10:15
-	3	(HTTP WITH Telnet WITH FTP) SAME route AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 10:23
-	97	(HTTP WITH Telnet WITH FTP) SAME server AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 10:24
-	3	(HTTP WITH Telnet WITH FTP) SAME forward SAME server AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 13:57
-	61	well adj known adj port adj numbers AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 08:13
-	16	route WITH based WITH port ADJ number AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 08:14
-	4	@ad<19991021 AND dispatcher WITH application ADJ level	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:45
-	0	@ad<19991021 AND dispatcher WITH application ADJ2 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:46
-	1	@ad<19991021 AND dispatcher WITH application ADJ layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:49

-	16	@ad<19991021 AND dispatcher WITH firewall	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:53
-	2	@ad<19991021 AND dispatcher WITH SOCKS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:54
-	0	@ad<19991021 AND redirect WITH FTP WITH HTTP WITH SMTP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:54
-	1	@ad<19991021 AND redirect SAME FTP SAME HTTP SAME SMTP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:56
-	4	@ad<19991021 AND direct SAME FTP SAME HTTP SAME SMTP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:57
-	191	@ad<19991021 AND dispatch WITH traffic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:58
-	14	@ad<19991021 AND dispatch WITH traffic WITH application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:00
-	150	@ad<19991021 AND dispatcher WITH traffic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:00
-	14	@ad<19991021 AND dispatcher WITH traffic WITH application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:01
-	1	@ad<19991021 AND dispatcher WITH traffic WITH protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:02
-	133	@ad<19991021 AND dispatcher WITH protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:02
-	17	@ad<19991021 AND dispatcher WITH protocol WITH application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:24

-	50	@ad<19991021 AND (broker dispatcher) WITH protocol WITH application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:37
-	99	@ad<19991021 AND service ADJ (broker dispatcher)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:50
-	11	@ad<19991021 AND service ADJ (broker dispatcher) WITH application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:42
-	2	@ad<19991021 AND service ADJ (broker dispatcher) SAME (HTTP FTP SMTP Telnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:43
-	26159	@ad<19991021 AND high\$3 ADJ priority	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:51
-	3	@ad<19991021 AND (high\$3 ADJ priority) WITH (more ADJ powerful)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:52
-	313	@ad<19991021 AND (high\$3 ADJ priority) WITH server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:52
-	1	@ad<19991021 AND (high\$3 ADJ priority) WITH server WITH powerful	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:53
-	3077	@ad<19991021 AND (priority) WITH load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:54
-	89	@ad<19991021 AND (priority) WITH load ADJ balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:54
-	2330	(connection ADJ table) AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 08:46
-	28	(connection ADJ table) SAME IP SAME port AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 08:36

-	64	(connection ADJ table) SAME (TCP IP) AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 08:46
-	46	network ADJ dispatcher AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 09:16
-	11	localdirector AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 09:16
-	18	priority WITH application NEAR2 protocol AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 11:05
-	54	discard WITH priority WITH queue AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 11:05
-	99	queue WITH congest\$3 WITH discard\$3 AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:21
-	20	queue WITH congest\$3 WITH discard\$3 WITH priori\$7 AND @ad<19991021	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:21